Perennial Collection





Heuchera (Coral Bells) Zones 4-9 >>>









Growers and retailers love our Dolce line because it offers extended sales opportunities from spring through fall. They ship well, are showy on the bench, and offer an easy solution for customers looking for plants that grow in both sun and shade. Dolce varieties are generally smaller than Primo® varieties, growing well in both containers and landscapes. We've selected the best of each color class for our lineup. Sobkowich

DOLCE® 'Apple Twist' Heuchera USPPAF Canpbraf

This robust, vigorous cultivar emerges chartreuse with showy red veining in spring, then matures to apple green with rippled edges. Holding plants drier through dormancy gives strongest red coloration.

DOLCE® 'Appletini' Heuchera USPP29396 CanPBRAF

'Appletini' is the ideal combination of lightly silvered, lime green foliage and ruby red flowers starting in early summer, reblooming into fall. We're bringing the coral bells back into coral bells!

DOLCE® 'Cherry Truffles' Heuchera USPPAF Canpbraf

Replaces Cinnamon Curls™ with key improvements being greater vigor, a fuller habit and deeper red color. Attractively ruffled leaves are topped with light pink flowers in early to midsummer.

DOLCE® 'Silver Gumdrop' Heuchera USPPAF Canpbraf

Clusters of vibrant pink flowers accent the compact mound of iridescent silver foliage in early to midsummer. H. villosa hybrid; naturally vigorous with good heat and humidity tolerance.

DOLCE® 'Spearmint' Heuchera USPPAF Canpbraf

Broad, metallic silver-green leaves are topped with prolific two-toned pink flowers in early summer through midsummer. Growers should plant this variety in fall for best flowering performance.

DOLCE® 'Wildberry' Heuchera USPPAF Canpbraf

Replaces 'Blackberry Ice' with key improvements being larger, glossy, bold purple leaves that hold their color for much of the season. H. villosa hybrid; naturally vigorous with good heat and humidity tolerance.

AWARD WINNER - DOLCE® 'Wildberry' Heuchera

People's Choice Award, Farwest Show

Growing Tips for DOLCE®

- For best foliage coloration, avoid scorching light.
- Needs to 100-150 ppm N constant liquid feed and light shade for optimal growth.
- Botrytis can be a problem under cold, wet, low-light conditions.

Additional Culture Information for DOLCE®

6.0 - 6.5/1.5 - 2.5 pour-through method

Rooting Out Temperature: 55-60° F (12-16° C) 55-65° F (12-18° C) Growing Temperature: Holding Temperature: 40-50° F (4-10° C) outdoors

Water Requirements: Moderate

When to Plant: Late Summer to Late Spring

Finish Times in Weeks: 72s - 4-5': 5-6 wks or 6"/Gallon: 7-9 wks

20s - 6"/Gallon: 6-8 wks

Spring Outdoor Finish: Last to go outside

Notes: No pinching or growth regulators needed. Finished spring plants can be moved outside to take advantage of cool temperatures for holding purposes and to allow foliage color to deepen.





DOLCE® 'Appletini' Heuchera USPP29396 CanPBRAF 20-25cm (8-10")



'Cherry Truffles' *Heuchera* USPPAF CanPBRAF (1997) 120-25cm (8-10")





DOLCE® 'Apple Twist' Heuchera USPPAF CanPBRAF (10-12")



DOLCE® 'Silver Gumdrop' Heuchera USPP29207 CanPBRAF () 15-20cm (6-8")



DOLCE® 'Wildberry' Heuchera USPPAF CanPBRAF (10-14")

Recommended Container: Premium 1-Gallon



Left to right: PRIMO® 'Peachberry Ice' Heuchera, PRIMO® 'Black Pearl'

Heuchera and PRIMO® 'Mahogany Monster' Heuchera





Looking for larger, more vigorous varieties of coral bells that thrive in the landscape and very large containers? Primo[™] Heucheras are an ideal choice. Their *H. villosa* parentage makes them naturally robust with good heat and humidity tolerance. Choose from a range of colorful options for sun and shade. Sobkowich

PRIMO® 'Black Pearl' Heuchera USPP29395 Can5724

The darkest Heuchera we've seen. Shiny jet black, large leaves measure up to 4" across, becoming ruffled as they mature and retaining their color even in full sun. White flowers with pink calyxes appear in midsummer on vernalized plants.

PRIMO® 'Mahogany Monster' Heuchera USPPAF Canpbraf This super-sized Heuchera forms a robust clump of huge, glossy, mahogany red leaves. Creamy white flowers appear on exceptionally thick scapes in midsummer.

PRIMO® 'Peachberry Ice' Heuchera USPPAF CanPBRAF The best we've seen in this color class. Leaves emerge apricot with a silver overlay in spring. Leaves expand and take on an intense apricot blush coloration in summer. Robust habit; fills containers fully and is stunning in landscapes.

PRIMO® 'Pretty Pistachio' Heuchera USPP29361 CanPBRAF The total package, offering bold chartreuse to lime green foliage and large clusters of pink flowers which appear continuously from midsummer to early fall. Flowers age to raspberry pink

and dry in place on the stems.

Growing Tips for PRIMO®

- For best foliage coloration, avoid scorching light.
- Needs to 100-150 ppm N constant liquid feed and light shade for optimal growth.
- Botrytis can be a problem under cold, wet, low-light conditions.

Additional Culture Information for PRIMO®

pH/EC: 6.0 - 6.5/1.5 - 2.5 pour-through method

Rooting Out Temperature: 55-60° F (12-16° C) Growing Temperature: 55-65° F (12-18° C) Holding Temperature: 40-50° F (4-10° C) outdoors

Water Requirements: Moderate

When to Plant: Late Summer to Late Spring

Finish Times in Weeks: 72s - 4-5': 5-6 wks or 6"/Gallon: 7-9 wks

20s - 6"/Gallon: 6-8 wks

PROVEN WINNERS' The #1 Plant Brand."

Last to go outside Spring Outdoor Finish:

Notes: No pinching or growth regulators needed. Finished spring plants can be moved outside to take advantage of cool temperatures for holding purposes and to allow foliage color to deepen.











PRIMO® 'Mahogany Monster' Heuchera USPPAF CanPBRAF 000 30-41cm (12-16")



PRIMO® 'Pretty Pistachio' Heuchera USPP29361 CanPBRAF [20-25cm (8-10")

Recommended Container: Premium 1-Gallon

116 117

SWEET ROMANCE® Lavandula (Lavender) ANDSCAPE OF 30-46cm (12-18") Zones 5-9









With rich-colored, long-blooming flowers all season, you can depend on this plant to perform in strides. And because it blooms the first year with little or no vernalization, it is a quick crop for growers, even those in the warmest climates. Sobkowich

Growing Tips for SWEET ROMANCE®

- Vernalization is not required for plants to flower. However, vernalized plants will come into flower faster and more consistently.
- Fresh plugs grown in spring will bloom the first year. However, plugs planted in late summer will result in fuller plants to sell in spring.
- For a quick finishing crop, start with bare root liners planted in spring.
- Lavender is a very light feeder and grows well under a constant liquid fertilizer program with rate of 50-75 ppm N.
- One pinch may be necessary for small plugs.
- Lavender prefers a cool start until roots are established.
- High light produces a better quality plant.

Additional Culture Information for SWEET ROMANCE®

5.8 - 6.2/1.25 - 1.75 pour-through method

Rooting Out Temperature: 65-68° F (18-20° C) 60-65° F (15-18° C) Growing Temperature: Holding Temperature: 40-50° F (4-10° C) outdoors Slightly Dry to Moist Water Requirements: When to Plant: Summer through Spring

Finish Times in Weeks: 72s - 4-5": 8-10 wks or 6"/Gallon: 14-16 wks

Bare Root - 6"/Gallon: 8-10 wks

Spring Outdoor Finish: First to go outside

Note: Lavender can be forced into bloom throughout the year. To force lavender, provide 16-hour days of light or a 4-hour night interruption. Minimum light intensity is 10 foot candles. Watch for damping-off, leaf spot, and root rot.

AWARD WINNER - Sweet Romance® 3 Awards: Top Performer, Lucas Greenhouse; Top Performer Cornell University; Top Performer, Raker Trial SWEET ROMANCE® Lavandula angustifolia 'kerlavangem' USPP23001 Can4906

AMAZING DAISIES® Leucanthemum (Shasta Daisy) LANDSCAPE O Zones 5-9 🔀







AMAZING DAISIES® 'Banana Cream' Leucanthemum superbum USPP23181 Can4203

This picture perfect daisy is a vigorous grower with a compact habit, excellent disease resistance, and axillary budding which results in a longer season of bloom. Large 4-5" flowers open lemon yellow and mature to creamy white on strong stems atop attractive deep green foliage. Sobkowich

AMAZING DAISIES® DAISY MAY®

Leucanthemum superbum 'Daisy Duke' USPP21914 Can4376

This plant is the gold standard in white shasta daisies, with beautiful 3" white flowers that form a solid dome of blooms. Daisy May is a compact, easy-to-grow perennial with a long bloom time. Deadheading results in multiple rounds of rebloom. Sobkowich

AWARD WINNER -

AMAZING DAISIES® 'Banana Cream' Leucanthemum Top Performer, Erie Basin Marina

AMAZING DAISIES® DAISY MAY® Leucanthemum

3 Awards including: Plant of Merit, University of Georgia; Top Performer, Calgary Zoo and Botanic Garden; Top Performer,

Growing Tips for AMAZING DAISIES®

- High light in production is essential.
- Avoid overwatering. Plants grown too dry will often be shorter and will have delayed flowering and fewer flowers.
- Cold vernalization adds to bud count, but warmer temperatures are needed to elongate flower stems.
- Needs 100-125 ppm N constant liquid feed for optimal growth.

Additional Culture Information for AMAZING DAISIES®

5.8 - 6.2 / 2.0 - 3.0 pour-through method pH/EC:

Rooting Out Temperature: 65-72° F (18-22° C) 55-65° F (12-18° C) Growing Temperature: Holding Temperature: 40-50° F (4-10° C) outdoors Water Requirements: Moderate to Moist

When to Plant: Late Summer/Early Fall (fresh liners) or Spring (vernalized liners) Finish Times in Weeks: 72s - 4-5": 6-8 wks or 6"/Gallon: 7-9 wks 30s - 6"/Gallon: 6-8 wks

30-61cm (12-24")

Spring Outdoor Finish: First to go outside

Notes: For Daisy May, vernalization requirement is only 4 weeks. 'Banana Cream' has an obligate cold requirement for flowering; provide 6-9 weeks of cold when vernalizing. Scout regularly for aphids.



Recommended Container: Premium 1-Gallon

Perennial Culture Information

Perennial	Sales Window (Flower)	Transplant	Starting Materials	Cold Treatment - Vo Cold Requirement	ernalization Duration (wks)	Finishing Schedules a Finish Time (Wks)	nd Guidelines Temperature (24 hour Ave)	Photoperiod (Day Length)
Heuchera — Dolce® series Primo® series	Early Spring to Fall (Summer and Fall – Foliage Only)	Late Summer to Late Spring	Fresh or Vernalized Liners	Cold Required (Only for Flowering)	6 to 9	72s: 4-5" 5-6 wks 6"/Gal 7-9 wks 20s: 6"/Gal 6-8 wks	65-68° F	Day Neutral
Lavandula – Sweet Romance®	Late Spring to Early Summer	Summer through Fall Spring	Fresh or Vernalized Liners Bare Root	Cold Beneficial	10	72s: 4-5" 8-10 wks 6"/Gal 14-16 wks Bare Root: 6"/Gal 8-10 wks	65-68° F	Long Day Required
Leucanthemum – Amazing Daisies® series	Late Spring to Summer	Late Summer/Early Fall Spring	Fresh Liners – Fall Vernalized Liners – Spring	'Banana Cream' — Cold Required Others — Cold Beneficial	6 to 9	72s: 4-5" 6-8 wks 6"/Gal 7-9 wks 30s: 6"/Gal 6-8 wks	65-68° F	Long Day Beneficial

Proven	Wi	nne	rs	
Perenn	ial	Avai	ilabil	ity

Sobkowich Greenhouses

DOLCE® 'Appletini' <i>Heuchera</i>	50 Cell Liners
DOLCE® 'Apple Twist' <i>Heuchera</i>	50 Cell Liners
DOLCE® 'Cherry Truffles' Heuchera	50 Cell Liners
DOLCE® 'Silver Gumdrop' <i>Heuchera</i>	50 Cell Liners
DOLCE® 'Spearmint' Heuchera	50 Cell Liners
DOLCE® 'Wildberry' Heuchera	50 Cell Liners
PRIMO® 'Black Pearl' Heuchera	50 Cell Liners
PRIMO® 'Mahogany Monster' Heuchera	50 Cell Liners
PRIMO® 'Peachberry Ice' Heuchera	50 Cell Liners
PRIMO® 'Pretty Pistachio' Heuchera	50 Cell Liners
SWEET ROMANCE® Lavandula	50 Cell Liners
AMAZING DAISIES® 'Banana Cream' Leucanthemum	50 Cell Liners
AMAZING DAISIES® DAISY MAY® Leucanthemum	50 Cell Liners